

The Products Listed Below are used by Weed Man in the state of Maryland

Product Name	Common Name	Description & Information
Acclaim Extra	Fenoxaprop-p- ethyl	Statement of Practical Treatment: If swallowed, call a Poison Control Center or doctor immediately for treatment advice. If in eyes, hold eyes open and rinse slowly and gently with water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Precautionary Statement: Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates. Post Application Information: Keep unprotected persons out of the treated areas until sprays have dried. Do not mow treated areas for at least 24 hours.
Banner Maxx	Propiconazole	Statement of Practical Treatment: If in eyes, hold eyelids open and flush with a steady gentle stream of water. Get medical attention. IF on skin, wash with plenty of soap and water, and get medical attention. If inhaled, move individual to fresh air. If swallowed, call a physician or Poison Control Center. Precautionary Statement: Causes substantial, by temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with sin or clothing. Avoid breathing spray mist. Environmental Hazards: This pesticide is toxic to fish. Post Application Information: Do not enter treated areas without protective clothing until sprays have dried. Do not graze animals on treated areas. Do not feed clippings from treated areas to livestock or poultry.
Barricade	Prodiamine	Statement of Practical Treatment: If on skin, wash with soap and water. Rinse thoroughly. If inhaled, removed individual to fresh air. If in eyes, flush thoroughly with water for several minutes. Contact a physician if irritation persists. Precautionary Statement: Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Prolonged or frequently repeated skin contact, while mixing or handling the concentrated material, may cause allergic reactions in some individuals. Environmental Hazards: This product has low solubility in water. At the limit of solubility, this product is not toxic to fish. However, at concentrations substantially above the level of water solubility, it may be toxic to fish. Drift or runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Post Application Information: Only protected handlers may be in the area during application. Do not graze or feed livestock forage cut from areas treated with Barricade.

Cool Power	MCPA, triclopyr and dicamba	Statement of Practical Treatment: If swallowed, call a physician or Poison Control Center. If on skin, wash thoroughly with plenty of soap and water, and get medical attention. If in eyes, flush with plenty of water. Call a physician if irritation persists. Precautionary Statement: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Environmental Hazards: Drift or runoff may adversely affect nontarget plants. Post Application Information: Turf should not be mowed 1 to 2 days before and following application. Reseed no sooner than 3 to 4 weeks after application of this product.
Dimension	Dithiopyr	Statement of Practical Treatment: If in eyes, immediately flush with plenty of water. Get medical attention if irritation persists. In inhaled, remove individual to fresh air. Seek medical attention if breathing difficulty develops. Precautionary Statement: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals. Environmental Hazards: This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Post Application Information: Do not use clippings from treated turf for mulching around vegetables or fruit trees. Keep people and pets off treated areas until dust has settled.
Merit .5 Granular	Imidacloprid	Statement of Practical Treatment: If swallowed, call a physician or Poison Control Center. If on skin, wash thoroughly with soap and water. Get medical attention if irritation persists. If in eyes, hold eyelids open and flush with plenty of water. Call a physician if irritation persists. Precautionary Statement: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Environmental Hazards: This pesticide is highly toxic to aquatic invertebrates. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Post Application Information: Do not plant any food crop within one year of a treatment with Merit 0.5 G insecticide. Avoid mowing turf or lawn area until after irrigation or rainfall has occurred.

Bandit	imidacloprid	Statement of Practical Treatment: If swallowed, call a physician or Poison Control Center. If on skin, wash thoroughly with soap and water. Get medical attention if irritation occurs. If in eyes, hold eyelids open and flush with plenty of water. Precautionary Statement: Harmful if swallowed, inhaled, or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust or vapor. Environmental Hazards: This product is highly toxic to aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Post Application Information: Keep children and pets off treated area until spray is dry. Do not graze treated areas or use clippings from treated area for feed or forage.
Pylex	topramezone	Statement of Practical Treatment: If on skin or clothing, remove contaminated clothing and rinse skin with plenty of water for at least 15 minutes. Call a physician if irritation persists. If swallowed, call a Poison Control Center immediately, and provide individual with water to sip. If in eyes, hold eyelids open and rinse slowly and gently for at least 15 minutes. Call a physician if irritation persists. Precautionary Statement: Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes, and clothing. Environmental Hazards: This product is toxic to aquatic life and terrestrial plants. Drift or runoff may adversely affect nontarget plants. Post Application Information: Only protected handlers may be in the area during application.
Q4 Plus	2,4-D, Quinclorac, Sulfentrazone, Dicamba	Precautionary Statement: Causes moderate eye injury. Avoid contact with eyes or clothing. Harmful if swallowed. Environmental Hazards: This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Post Application Information: Do not allow people or pets to enter treated area until spray has dried. Precautionary Statement: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash
Lesco 3-Way	2,4-D, MECOPROP-p and DICAMBA	thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply when weather conditions favor drift from target area. Clean

		and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other spraying. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not contaminate domestic or irrigation waters. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater. Most cases of groundwater contamination involving phenoxy herbicides, such as 2,4-D and MCPP-p, have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these herbicides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination. Post Application Information: Keep people and pets off treated areas until spray solution has dried to prevent transfer of the
		product beyond the treated area. Statement of Practical Treatment: If swallowed, call a physician or
Crosscheck	Bifenthrin	Poison Control Center. If inhaled, remove individual to fresh air, and get medical attention. If on skin, wash with plenty of soap and water, and get medical attention. IF in eyes, flush with plenty of water and call a physician if irritation persists. Precautionary Statement: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Environmental Hazards: This pesticide is extremely toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Post Application Information: Do not allow people or pets on treated
Tenacity	Mesotrione	Statement of Practical Treatment: If on skin or clothing, remove contaminated clothing and rinse skin with plenty of water for at least 15 minutes. Call a physician if irritation persists. If swallowed, call a Poison Control Center immediately, and provide individual with water to sip. If in eyes, hold eyelids open and rinse slowly and gently for at least 15 minutes. Call a physician if irritation persists. If inhaled, remove individual to fresh air. Precautionary Statement: Harmful if absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes, or clothing. Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. This product may contaminate water through drift of spray in wind. Post Application Information: Do not plant any food crop for 18 months after application of Tenacity. Do not use clippings from treated turf for mulching around vegetables or fruit trees.

		Statement of Practical Treatment: If an akin fluch with plants of
		Statement of Practical Treatment: If on skin, flush with plenty of water. Get medical attention if irritation persists. IF swallowed, call a
		physician. If in eyes, immediately flush with plenty of water for at least
Turflon Ester	Triclopyr	15 minutes and get medical attention promptly.
Turrion Ester	Пісюруі	Precautionary Statement: Harmful if swallowed, inhaled, or absorbed
		through skin. Avoid contact with eyes, skin or clothing. Avoid breathing
		mists or vapors.
		Environmental Hazards: This pesticide is toxic to fish.
		Statement of Practical Treatment: If in eyes: Hold eye open and rinse
		slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin
		or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or
		doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to
		the person. Do not induce vomiting unless told to by a poison control
		center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Remove person to fresh air. If person is not
		breathing, call 911 or an ambulance, then give artificial respiration,
		preferably mouth-tomouth if possible. Call a poison control center or
		doctor for further treatment advice. Have the product container or
Lesco Spectator	propiconazole	label with you when calling a poison control center or doctor or going
		for treatment. You may also contact 1-800-424-9300 for emergency
		medical treatment information. Note to Physician: There is no specific
		antidote for this product. Induce emesis or lavage stomach, taking care
		to avoid aspiration of stomach contents into lungs. Give a saline
		laxative and supportive therapy. This product may pose an aspiration
		pneumonia hazard. Contains petroleum distillate
		<u>Precautionary Statement</u> : WARNING: Causes Substantial But Temporary Eye Injury • Harmful If Swallowed, Inhaled, Or Absorbed
		Through Skin • Prolonged or Frequently Repeated Skin Contact May
		Cause Allergic Reactions In Some Individuals Do not get in eyes or on
		clothing. Avoid contact with skin. Avoid breathing spray mist.
		Environmental Hazards: This pesticide is toxic to fish. Do not apply
		directly to water, or to areas where surface water is present, or to
		intertidal areas below the mean high water mark. Do not contaminate
		water when disposing of equipment wash waters. Refer to product
		labeling for use restrictions to protect endangered species.
		<u>Post Application Information:</u> Keep people and pets off treated areas
		until spray solution has dried to prevent transfer of the product
		beyond the trated area.
		Statement of Practical Treatment: If in eyes: Hold eye open and rinse
		slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
		Call a poison control center or doctor for treatment advice. If on skin
		or clothing: Take off contaminated clothing. Rinse skin immediately
		with plenty of water for 15-20 minutes. Call a poison control center or
		doctor for treatment advice. If swallowed: Call a poison control center
		or doctor immediately for treatment advice. Do not give any liquid to
		the person. Do not induce vomiting unless told to by a poison control
		center or doctor. Do not give anything by mouth to an unconscious
	2,4-D, Fluroxypyr,	person. If inhaled: Remove person to fresh air. If person is not
Sure Power	Triclopyr and	breathing, call 911 or an ambulance, then give artificial respiration,
	Flumioxazin	preferably mouth-to-mouth if possible. Call a poison control center or
		doctor for further treatment advice. Have the product container or
		label with you when calling a poison control center or doctor or going

		for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information. Note to Physician: There is no specific antidote for this product. Induce emesis or lavage stomach, taking care to avoid aspiration of stomach contents into lungs. Give a saline laxative and supportive therapy. This product may pose an aspiration pneumonia hazard. Contains petroleum distillate Precautionary Statement: WARNING: Causes Substantial But Temporary Eye Injury • Harmful If Swallowed, Inhaled, Or Absorbed Through Skin • Prolonged or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing spray mist. Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Refer to product labeling for use restrictions to protect endangered species. Post Application Information: Keep people and pets off treated areas until spray solution has dried to prevent transfer of the product beyond the treated area.
Quicksilver	Carfentrazone	Statement of Practical Treatment: Avoid spray drift onto non-target susceptible plants such as vegetables, flowers, ornamentals, trees, shrubs and other desirable plants. Do not apply this product to carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not apply when conditions are conducive to spray drift or poor spray coverage. Do not apply more than 6.7 fluid ounces of product (0.10 lbs. a.i.of carfentrazone-ethyl) per acre per application or more than 0.40 lbs. a.i. of carfentrazone-ethyl per acre per season. The minimum retreatment interval for sequential broadcast applications of this product is two (2) weeks. Do not apply this product by aerial application. Do not apply this product through any type of irrigation system. Precautionary Statement: CAUTION Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Environmental Hazards: Keep people and pets off treated areas until spray solution has dried to prevent transfer of the product beyond the treated area.
Sulfentrazone 4SC	Sulfentrazone	Statement of Practical Treatment: This pesticide is toxic to marine/estuarine invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to terrestrial and aquatic plants in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. Precautionary Statement: Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. Environmental Hazards: Keep people and pets off treated areas until spray solution has dried to prevent transfer of the product beyond the treated area.

T		
Fiesta	Iron HEDTA	Statement of Practical Treatment: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Environmental Hazards: For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Post Application Information: People and pets can re-enter the treated area once dry.
Suspend Polyzone	Deltamethrin	Statement of Practical Treatment: FIRST AID If in eyes: • Hold eyes open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. If on skin or clothing: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. In case of emergency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577. Note To Physician: No specific antidote is available. Treat the patient symptomatically Precautionary Statement: HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION Causes moderate eye irritation. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Contact with product may result in transient tingling and reddening of the skin. Remove contaminated clothing and wash before reuse. Environmental Hazards: This product is extremely toxic to fresh water and estuarine fish and invertebrates. Use with care when applying in areas adjacent to any body of water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This pesticide is highly toxic to bees exposed to direct treatment. Do not apply or allow it to drift to crops or weeds on which bees are foraging the treated area.
Eagle 20EW	myclobutanil	Statement of Practical Treatment: Hazards to Humans and Domestic Animals Precautionary Statement: Causes Moderate Eye Irritation • Harmful If Swallowed or Absorbed Through Skin Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Environmental Hazards: Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Do not apply when weather conditions favor drift or runoff from areas treated. Post Application Information: Keep people and pets off treated areas until spray solution has dried to prevent transfer of the product beyond the treated area.

Dylox	Trichlorfon	Statement of Practical Treatment: If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person. If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577. NOTE TO PHYSICIAN: Prolonged exposure will cause cholinesterase depression. Precautionary Statement: CAUTION: Harmful if swallowed. Causes moderate eye irritation. Do not take internally. Do not breathe dust. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some people. Environmental Hazards: This product is toxic to fish, birds, and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when turf grass areas are water-logged or the soil is saturated with water (i.e. will not allow penetration into the root zone of the plant). Avoid run-off or puddling of irrigation water following application. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Use only as directed on this label. Do not use on crops used f
T Storm	Thiphanate-methyl	Statement of Practical Treatment: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Precautionary Statement: Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Post-Application Information: Keep people and pets off treated areas until spray solution has dried to prevent transfer of the product beyond the treated area.
Azoxy 2SC	Azoxystrobin	Statement of Practical Treatment: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies involving this product, call CHEMTREC® toll free at 1-800-424-9300. Precautionary Statement: CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Environmental Hazards: This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Do not apply directly to water except as specified on this label. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate. **Post Application Information:** Keep people and pets off treated areas until spray solution has dried to prevent transfer of the product beyond the treated area. **Statement of Practical Treatment:** If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doc- tor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doc- tor for treatment advice. NOTE TO PHYSICIAN: This pesticide contains a pyrethroid. If significant quantities have been swallowed, promptly eliminate the ingested quantities from the stomach and intestines. Treatment is symptomatic and supportive. Alcohol, milk, cream, and other digestible fats and oils should NOT be administered as they may increase absorption. HOTLINE NUMBER Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 800-892-0099 for emergency medical treatment information. Aloft Clothianidin. <u>Precautionary Statement:</u> HAZARDS TO HUMANS AND DOMESTIC Bifenthrin ANIMALS WARNING: May be fatal if swallowed. Harmful if inhaled. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid breathing spray mist or vapor. Avoid contact with skin, eyes, or clothing. **Environmental Hazards:** This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply where runoff is likely to occur. This product is toxic to bees exposed to treatment and for more than 5 days following treatment. Do not apply this product to blooming, pollen-shedding or nectar producing parts of plants if bees may forage on the plants during this time period, unless the application is made in response to a public health emergency

declared by appropriate State or Federal authorities.

Precautionary Statement: Causes moderate eye injury. Avoid contact with eyes or clothing. Harmful if swallowed. Environmental Hazards: Quinclorac has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Prodiamine has low solubility in water. At the limit of solubility this product is not toxic to fish. However, at concentrations substantially above the level of water solubility, it may be toxic to fish. Keep out of lakes, ponds and Prodiamine Cavalcade PQ streams. DO not apply directly to water, areas where surface water is Quinclorac present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of rinsate. Precautionary statement: Caution: Causes moderate eye irritation. Avoid contact with eyes or clothing. Users should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Weed Man Annapolis: (410) 266-9282

Weed Man Bethesda: (240) 651-1168

Weed Man Frederick: (301) 620-7575

Weed Man Rockville-Gaithersburg: (240) 552-9776

Weed Man Winchester: (540) 545-2010

American Association of Poison Control Centers: 1-800-222-1222

Maryland Department of Agriculture Pesticide Regulation: 410-841-5710